



Product catalogue

| Type | base | color | voltage | led qty | power |
|---------------|-------|------------|-----------|---------|-------|
| MR16 | GU5.3 | warm white | DC12V | 1 | 1W |
| MR16 | GU5.3 | cool white | DC12V | 1 | 1W |
| MR16 | GU5.3 | red | DC12V | 1 | 1W |
| MR16 | GU5.3 | green | DC12V | 1 | 1W |
| MR16 | GU5.3 | blue | DC12V | 1 | 1W |
| MR16 | GU5.3 | yellow | DC12V | 1 | 1W |
| MR16 | GU5.3 | warm white | DC12V | 1 | 3W |
| MR16 | GU5.3 | cool white | DC12V | 1 | 3W |
| MR16 | GU5.3 | red | DC12V | 1 | 3W |
| MR16 | GU5.3 | green | DC12V | 1 | 3W |
| MR16 | GU5.3 | blue | DC12V | 1 | 3W |
| MR16 | GU5.3 | yellow | DC12V | 1 | 3W |
| Type | base | color | voltage | led qty | power |
| MR16 3*1W | GU5.3 | warm white | DC12V | 3 | 3W |
| MR16 3*1W | GU5.3 | cool white | DC12V | 3 | 3W |
| MR16 3*1W | GU5.3 | red | DC12V | 3 | 3W |
| MR16 3*1W | GU5.3 | green | DC12V | 3 | 3W |
| MR16 3*1W | GU5.3 | blue | DC12V | 3 | 3W |
| MR16 3*1W | GU5.3 | yellow | DC12V | 3 | 3W |
| MR16 3*1W | GU5.3 | RGB | DC12V | 3 | 3W |
| Type | base | color | voltage | led qty | power |
| MR16 Sunlight | GU5.3 | cool white | 12V AC/DC | 1 | 5W |
| MR16 Sunlight | GU5.3 | warm white | 12V AC/DC | 1 | 5W |
| MR16 Sunlight | GU5.3 | red | 12V AC/DC | 1 | 5W |
| MR16 Sunlight | GU5.3 | green | 12V AC/DC | 1 | 5W |
| MR16 Sunlight | GU5.3 | blue | 12V AC/DC | 1 | 5W |
| MR16 Sunlight | GU5.3 | yellow | 12V AC/DC | 1 | 5W |
| MR16 Sunlight | GU5.3 | cool white | 12V AC/DC | 1 | 3W |
| MR16 Sunlight | GU5.3 | warm white | 12V AC/DC | 1 | 3W |
| MR16 Sunlight | GU5.3 | red | 12V AC/DC | 1 | 3W |
| MR16 Sunlight | GU5.3 | green | 12V AC/DC | 1 | 3W |
| MR16 Sunlight | GU5.3 | blue | 12V AC/DC | 1 | 3W |
| MR16 Sunlight | GU5.3 | yellow | 12V AC/DC | 1 | 3W |
| Type | base | color | voltage | led qty | power |
| New MR16 | GU5.3 | warm white | DC12V | 1 | 1W |
| New MR16 | GU5.3 | cool white | DC12V | 1 | 1W |
| New MR16 | GU5.3 | red | DC12V | 1 | 1W |

picture



MR16 1W/3W
GL-002

picture



picture



MR16 Sunlight
GL-005

picture



| | | | | | |
|-----------|-------|------------|------------|---------|-------|
| New MR16 | GU5.3 | green | DC12V | 1 | 1W |
| New MR16 | GU5.3 | blue | DC12V | 1 | 1W |
| New MR16 | GU5.3 | yellow | DC12V | 1 | 1W |
| New MR16 | GU5.3 | warm white | DC12V | 1 | 3W |
| New MR16 | GU5.3 | cool white | DC12V | 1 | 3W |
| New MR16 | GU5.3 | red | DC12V | 1 | 3W |
| New MR16 | GU5.3 | green | DC12V | 1 | 3W |
| New MR16 | GU5.3 | blue | DC12V | 1 | 3W |
| Type | base | color | voltage | led qty | power |
| MR16 | GU5.3 | warm white | 12/110/230 | 12 | 1.2W |
| MR16 | GU5.3 | cool white | 12/110/230 | 12 | 1.2W |
| MR16 | GU5.3 | red | 12/110/230 | 12 | 1.2W |
| MR16 | GU5.3 | green | 12/110/230 | 12 | 1.2W |
| MR16 | GU5.3 | blue | 12/110/230 | 12 | 1.2W |
| MR16 | GU5.3 | yellow | 12/110/230 | 12 | 1.2W |
| MR16 | GU5.3 | RGB | 12/110/230 | 12 | 1.2W |
| Type | base | color | voltage | led qty | power |
| GU10 | GU10 | warm white | 12/110/230 | 12 | 1.2W |
| GU10 | GU10 | cool white | 12/110/230 | 12 | 1.2W |
| GU10 | GU10 | red | 12/110/230 | 12 | 1.2W |
| GU10 | GU10 | green | 12/110/230 | 12 | 1.2W |
| GU10 | GU10 | blue | 12/110/230 | 12 | 1.2W |
| GU10 | GU10 | yellow | 12/110/230 | 12 | 1.2W |
| GU10 | GU10 | RGB | 12/110/230 | 12 | 1.2W |
| Type | base | color | voltage | led qty | power |
| GU10 | GU10 | warm white | AC85-260V | 1 | 1W |
| GU10 | GU10 | cool white | AC85-260V | 1 | 1W |
| GU10 | GU10 | red | AC85-260V | 1 | 1W |
| GU10 | GU10 | green | AC85-260V | 1 | 1W |
| GU10 | GU10 | blue | AC85-260V | 1 | 1W |
| GU10 | GU10 | yellow | AC85-260V | 1 | 1W |
| GU10 | GU10 | warm white | AC85-260V | 1 | 3W |
| GU10 | GU10 | cool white | AC85-260V | 1 | 3W |
| GU10 | GU10 | red | AC85-260V | 1 | 3W |
| GU10 | GU10 | green | AC85-260V | 1 | 3W |
| GU10 | GU10 | blue | AC85-260V | 1 | 3W |
| GU10 | GU10 | yellow | AC85-260V | 1 | 3W |
| Type | base | color | voltage | led qty | power |
| GU10 3*1W | GU10 | warm white | AC85-260V | 3 | 3W |
| GU10 3*1W | GU10 | cool white | AC85-260V | 3 | 3W |
| GU10 3*1W | GU10 | red | AC85-260V | 3 | 3W |
| GU10 3*1W | GU10 | green | AC85-260V | 3 | 3W |
| GU10 3*1W | GU10 | blue | AC85-260V | 3 | 3W |
| GU10 3*1W | GU10 | yellow | AC85-260V | 3 | 3W |



NEW MR16 1W/3W

GL-006

picture



MR16

GL-007

picture



GU10

GL-008

picture



GU10

GL-009

picture



GU10 3*1W

GL-010

| Type | base | color | voltage | led qty | power |
|---------------|------|------------|-----------|---------|-------|
| GU10 Sunlight | GU10 | cool white | AC85-260V | 1 | 5W |
| GU10 Sunlight | GU10 | warm white | AC85-260V | 1 | 5W |
| GU10 Sunlight | GU10 | red | AC85-260V | 1 | 5W |
| GU10 Sunlight | GU10 | green | AC85-260V | 1 | 5W |
| GU10 Sunlight | GU10 | blue | AC85-260V | 1 | 5W |
| GU10 Sunlight | GU10 | yellow | AC85-260V | 1 | 5W |
| GU10 Sunlight | GU10 | cool white | AC85-260V | 1 | 3W |
| GU10 Sunlight | GU10 | warm white | AC85-260V | 1 | 3W |
| GU10 Sunlight | GU10 | red | AC85-260V | 1 | 3W |
| GU10 Sunlight | GU10 | green | AC85-260V | 1 | 3W |
| GU10 Sunlight | GU10 | blue | AC85-260V | 1 | 3W |
| GU10 Sunlight | GU10 | yellow | AC85-260V | 1 | 3W |

picture



GU10 Sunlight

GL-012

| Type | base | color | voltage | led qty | power |
|---------|------|------------|-----------|---------|-------|
| GU10 9W | GU10 | warm white | AC85-260V | 1 | 9W |
| GU10 9W | GU10 | cool white | AC85-260V | 1 | 9W |
| GU10 9W | GU10 | red | AC85-260V | 1 | 9W |
| GU10 9W | GU10 | green | AC85-260V | 1 | 9W |
| GU10 9W | GU10 | blue | AC85-260V | 1 | 9W |
| GU10 9W | GU10 | yellow | AC85-260V | 1 | 9W |

picture



New GU10 9W

GL-013

| Type | base | color | voltage | led qty | power |
|------|------|------------|-----------|---------|-------|
| JDR | E27 | warm white | AC85-260V | 1 | 1W |
| JDR | E27 | cool white | AC85-260V | 1 | 1W |
| JDR | E27 | red | AC85-260V | 1 | 1W |
| JDR | E27 | green | AC85-260V | 1 | 1W |
| JDR | E27 | blue | AC85-260V | 1 | 1W |
| JDR | E27 | yellow | AC85-260V | 1 | 1W |
| JDR | E27 | warm white | AC85-260V | 1 | 3W |
| JDR | E27 | cool white | AC85-260V | 1 | 3W |
| JDR | E27 | red | AC85-260V | 1 | 3W |
| JDR | E27 | green | AC85-260V | 1 | 3W |
| JDR | E27 | blue | AC85-260V | 1 | 3W |
| JDR | E27 | yellow | AC85-260V | 1 | 3W |

picture



JDR

GL-014

| Type | base | color | voltage | led qty | power |
|----------|------|------------|-----------|---------|-------|
| JDR 3*1W | E27 | warm white | AC85-260V | 3 | 3W |
| JDR 3*1W | E27 | cool white | AC85-260V | 3 | 3W |
| JDR 3*1W | E27 | red | AC85-260V | 3 | 3W |
| JDR 3*1W | E27 | green | AC85-260V | 3 | 3W |
| JDR 3*1W | E27 | blue | AC85-260V | 3 | 3W |
| JDR 3*1W | E27 | yellow | AC85-260V | 3 | 3W |

picture



JDR 3*1W

GL-015

| Type | base | color | voltage | led qty | power |
|------|------|------------|-----------|---------|-------|
| JDR | E27 | warm white | AC85-260V | 1 | 9W |
| JDR | E27 | cool white | AC85-260V | 1 | 9W |
| JDR | E27 | red | AC85-260V | 1 | 9W |

picture



| | | | | | |
|---------------|------|------------|-----------|---------|-------|
| JDR | E27 | green | AC85-260V | 1 | 9W |
| JDR | E27 | blue | AC85-260V | 1 | 9W |
| JDR | E27 | yellow | AC85-260V | 1 | 9W |
| Type | base | color | voltage | led qty | power |
| JDR Sunlight | E27 | cool white | AC85-260V | 1 | 5W |
| JDR Sunlight | E27 | warm white | AC85-260V | 1 | 5W |
| JDR Sunlight | E27 | red | AC85-260V | 1 | 5W |
| JDR Sunlight | E27 | green | AC85-260V | 1 | 5W |
| JDR Sunlight | E27 | blue | AC85-260V | 1 | 5W |
| JDR Sunlight | E27 | yellow | AC85-260V | 1 | 5W |
| JDR Sunlight | E27 | cool white | AC85-260V | 1 | 3W |
| JDR Sunlight | E27 | warm white | AC85-260V | 1 | 3W |
| JDR Sunlight | E27 | red | AC85-260V | 1 | 3W |
| JDR Sunlight | E27 | green | AC85-260V | 1 | 3W |
| JDR Sunlight | E27 | blue | AC85-260V | 1 | 3W |
| JDR Sunlight | E27 | yellow | AC85-260V | 1 | 3W |
| Type | base | color | voltage | led qty | power |
| New JDR 1W/3W | E27 | warm white | AC85-260V | 1 | 1W |
| New JDR 1W/3W | E27 | cool white | AC85-260V | 1 | 1W |
| New JDR 1W/3W | E27 | red | AC85-260V | 1 | 1W |
| New JDR 1W/3W | E27 | green | AC85-260V | 1 | 1W |
| New JDR 1W/3W | E27 | blue | AC85-260V | 1 | 1W |
| New JDR 1W/3W | E27 | yellow | AC85-260V | 1 | 1W |
| New JDR 1W/3W | E27 | warm white | AC85-260V | 1 | 3W |
| New JDR 1W/3W | E27 | cool white | AC85-260V | 1 | 3W |
| New JDR 1W/3W | E27 | red | AC85-260V | 1 | 3W |
| New JDR 1W/3W | E27 | green | AC85-260V | 1 | 3W |
| New JDR 1W/3W | E27 | blue | AC85-260V | 1 | 3W |
| New JDR 1W/3W | E27 | yellow | AC85-260V | 1 | 3W |
| Type | base | color | voltage | led qty | power |
| power B22 | B22 | warm white | AC85-260V | 1 | 1W |
| power B22 | B22 | cool white | AC85-260V | 1 | 1W |
| power B22 | B22 | red | AC85-260V | 1 | 1W |
| power B22 | B22 | green | AC85-260V | 1 | 1W |
| power B22 | B22 | blue | AC85-260V | 1 | 1W |
| power B22 | B22 | yellow | AC85-260V | 1 | 1W |
| power B22 | B22 | warm white | AC85-260V | 1 | 3W |
| power B22 | B22 | cool white | AC85-260V | 1 | 3W |
| power B22 | B22 | red | AC85-260V | 1 | 3W |
| power B22 | B22 | green | AC85-260V | 1 | 3W |
| power B22 | B22 | blue | AC85-260V | 1 | 3W |
| power B22 | B22 | yellow | AC85-260V | 1 | 3W |
| Type | base | color | voltage | led qty | power |
| B22 3*1 | B22 | warm white | AC85-260V | 3 | 3W |

New JDR 9W
GL-017
picture

JDR Sunlight
GL-018
picture



New JDR 1W/3W
GL-019
picture



GL-020
picture

picture



| | | | | | |
|----------------|-------|------------|------------|---------|-------|
| B22 3*1 | B22 | cool white | AC85-260V | 3 | 3W |
| B22 3*1 | B22 | red | AC85-260V | 3 | 3W |
| B22 3*1 | B22 | green | AC85-260V | 3 | 3W |
| B22 3*1 | B22 | blue | AC85-260V | 3 | 3W |
| B22 3*1 | B22 | yellow | AC85-260V | 3 | 3W |
| Type | base | color | voltage | led qty | power |
| New B22 1W/3W | B22 | warm white | AC85-260V | 1 | 1W |
| New B22 1W/3W | B22 | cool white | AC85-260V | 1 | 1W |
| New B22 1W/3W | B22 | red | AC85-260V | 1 | 1W |
| New B22 1W/3W | B22 | green | AC85-260V | 1 | 1W |
| New B22 1W/3W | B22 | blue | AC85-260V | 1 | 1W |
| New B22 1W/3W | B22 | yellow | AC85-260V | 1 | 1W |
| New B22 1W/3W | B22 | warm white | AC85-260V | 1 | 3W |
| New B22 1W/3W | B22 | cool white | AC85-260V | 1 | 3W |
| New B22 1W/3W | B22 | red | AC85-260V | 1 | 3W |
| New B22 1W/3W | B22 | green | AC85-260V | 1 | 3W |
| New B22 1W/3W | B22 | blue | AC85-260V | 1 | 3W |
| New B22 1W/3W | B22 | yellow | AC85-260V | 1 | 3W |
| Type | base | color | voltage | led qty | power |
| PAR30 7*1W | E27 | warm white | AC85-260V | 7 | 7W |
| PAR30 7*1W | E27 | cool white | AC85-260V | 7 | 7W |
| PAR30 7*1W | E27 | red | AC85-260V | 7 | 7W |
| PAR30 7*1W | E27 | green | AC85-260V | 7 | 7W |
| PAR30 7*1W | E27 | blue | AC85-260V | 7 | 7W |
| PAR30 7*1W | E27 | yellow | AC85-260V | 7 | 7W |
| Type | base | color | voltage | led qty | power |
| PAR38 7*3W | E27 | warm white | AC85-260V | 7 | 21W |
| PAR38 7*3W | E27 | cool white | AC85-260V | 7 | 21W |
| PAR38 7*3W | E27 | red | AC85-260V | 7 | 21W |
| PAR38 7*3W | E27 | green | AC85-260V | 7 | 21W |
| PAR38 7*3W | E27 | blue | AC85-260V | 7 | 21W |
| PAR38 7*3W | E27 | yellow | AC85-260V | 7 | 21W |
| Type | base | color | voltage | led qty | power |
| PAR38 12*1W | E27 | warm white | AC85-260V | 12 | 12W |
| PAR38 12*1W | E27 | cool white | AC85-260V | 12 | 12W |
| PAR38 12*1W | E27 | red | AC85-260V | 12 | 12W |
| PAR38 12*1W | E27 | green | AC85-260V | 12 | 12W |
| PAR38 12*1W | E27 | blue | AC85-260V | 12 | 12W |
| PAR38 12*1W | E27 | yellow | AC85-260V | 12 | 12W |
| Type | base | color | voltage | led qty | power |
| downlight 3x1W | 2 pin | warm white | AC100-240V | 3 | 3W |
| | 2 pin | cool white | AC100-240V | 3 | 3W |
| | 2 pin | red | AC100-240V | 3 | 3W |
| | 2 pin | green | AC100-240V | 3 | 3W |



GL-021
picture



New B22 1W/3W
GL-022



PAR30 7*1W
GL-023
picture



PAR38 7*3W
GL-024
picture



PAR38 12*1W
GL-025
picture



| | | | | | |
|-----------------|-------------|--------------|--------------------------------------|----------------|----------------|
| | 2 pin | blue | AC100-240V | 3 | 3W |
| | 2 pin | yellow | AC100-240V | 3 | 3W |
| downlight 3x3W | 2 pin | warm white | AC100-240V | 3 | 9W |
| | 2 pin | cool white | AC100-240V | 3 | 9W |
| | 2 pin | red | AC100-240V | 3 | 9W |
| | 2 pin | green | AC100-240V | 3 | 9W |
| | 2 pin | blue | AC100-240V | 3 | 9W |
| | 2 pin | yellow | AC100-240V | 3 | 9W |
| | | 2 pin | yellow | AC100-240V | 3 |
| Type | base | color | voltage | led qty | power/m |
| Neon Rope light | 2 pin | red | 12V/24V | 80 | 4.5W |
| Neon Rope light | 2 pin | green | 12V/24V | 80 | 4.5W |
| Neon Rope light | 2 pin | blue | 12V/24V | 80 | 4.5W |
| Neon Rope light | 2 pin | yellow | 12V/24V | 80 | 4.5W |
| Neon Rope light | 2 pin | white | 12V/24V | 80 | 4.5W |
| Neon Rope light | 2 pin | RGB | 12V/24V | 80 | 4.5W |
| Neon Rope light | 2 pin | red | 110V/220V | 80 | 4.5W |
| Neon Rope light | 2 pin | green | 110V/220V | 80 | 4.5W |
| Neon Rope light | 2 pin | blue | 110V/220V | 80 | 4.5W |
| Neon Rope light | 2 pin | yellow | 110V/220V | 80 | 4.5W |
| Neon Rope light | 2 pin | white | 110V/220V | 80 | 4.5W |
| Neon Rope light | 2 pin | RGB | 110V/220V | 80 | 4.5W |
| Type | base | color | voltage | led qty | power |
| street light | 2 pin | warm white | AC85-260V | 60 | 60W |
| street light | 2 pin | cold white | AC85-260V | 60 | 60W |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Type | base | color | voltage | led qty | power |
| Projector | 2 pin | warm white | 220-240V AC (110 VAC also available) | 12 | 15W |
| Projector | | cool white | | 12 | 15W |
| Projector | | red | | 12 | 15W |
| Projector | | green | | 12 | 15W |
| Projector | | blue | | 12 | 15W |
| Projector | | yellow | | 12 | 15W |
| Type | base | color | voltage | led qty | power |
| Projector | 2 pin | warm white | 220-240V AC (110 VAC also available) | 24 | 35W |
| Projector | | cool white | | 24 | 35W |
| Projector | | red | | 24 | 35W |
| Projector | | green | | 24 | 35W |
| Projector | | blue | | 24 | 35W |
| Projector | | yellow | | 24 | 35W |
| Type | base | color | voltage | led qty | power |
| Projector | 2 pin | warm white | | 36 | 45W |

3*1W downlight



3*3W downlight

GL-026

picture



Neon Rope light

GL-027

picture



street light

GL-028

picture



Projector 15W

GL-029

picture



Projector 35W

GL-030

picture



| | | | | | | |
|--------------|-------|------------|--------------------------------------|---------|-------|--------------------------------------------------------------------------------------------------------------------------|
| Projector | 2 pin | cool white | 220-240V AC (110 VAC also available) | 36 | 45W |  Projector 45W GL-031 picture |
| Projector | 2 pin | red | | 36 | 45W | |
| Projector | 2 pin | green | | 36 | 45W | |
| Projector | 2 pin | blue | | 36 | 45W | |
| Projector | 2 pin | yellow | | 36 | 45W | |
| Type | base | color | voltage | led qty | power | |
| | | | | | |  9W wall washer GL-032 |
| wall washert | 2 pin | warm white | AC/DC12V/24V, A C85-260V | 9 | 9W | 9W wall washer GL-032 |
| wall washert | 2 pin | cool white | | 9 | 9W | |
| wall washert | 2 pin | red | | 9 | 9W | |
| wall washert | 2 pin | green | | 9 | 9W | |
| wall washert | 2 pin | blue | | 9 | 9W | |
| wall washert | 2 pin | yellow | | 9 | 9W | |
| wall washert | 2 pin | RGB | | 9 | 9W | |
| wall washert | 2 pin | RGB | | 9 | 9W | |
| wall washert | 2 pin | RGB(DMX) | | 9 | 9W | |
| | | | | | |  15W beam light |
| wall washer | 2 pin | warm white | AC/DC12V/24V, A C85-260V | 15 | 15W | 15W beam light |
| wall washer | 2 pin | cool white | | 15 | 15W | |
| wall washer | 2 pin | red | | 15 | 15W | |
| wall washer | 2 pin | green | | 15 | 15W | |
| wall washer | 2 pin | blue | | 15 | 15W | |
| wall washer | 2 pin | yellow | | 15 | 15W | |
| wall washer | 2 pin | RGB | | 15 | 15W | |
| wall washer | 2 pin | RGB | | 15 | 15W | |
| wall washer | 2 pin | RGB(DMX) | | 15 | 15W | |
| | | | | | | 24W beam light picture |
| wall washer | 2 pin | warm white | AC/DC12V/24V, A C85-260V | 24 | 24W | |
| wall washer | 2 pin | cool white | | 24 | 24W | |
| wall washer | 2 pin | red | | 24 | 24W | |
| wall washer | 2 pin | green | | 24 | 24W | |
| wall washer | 2 pin | blue | | 24 | 24W | |
| wall washer | 2 pin | yellow | | 24 | 24W | |
| wall washer | 2 pin | RGB | | 24 | 24W | |
| wall washer | 2 pin | RGB | | 24 | 24W | |
| wall washer | 2 pin | RGB(DMX) | | 24 | 24W | |
| Type | base | color | voltage | led qty | power | |



| | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|--------------|-----------------------------|----------------|--------------|
| wall washer | 2 pin | warm white | AC/DC12V/24V, A C85-260V | 30 | 30W |
| wall washer | 2 pin | cool white | | 30 | 30W |
| wall washer | 2 pin | red | | 30 | 30W |
| wall washer | 2 pin | green | | 30 | 30W |
| wall washer | 2 pin | blue | | 30 | 30W |
| wall washer | 2 pin | yellow | | 30 | 30W |
| wall washer | 2 pin | RGB | | 30 | 30W |
| wall washer | 2 pin | RGB | | 30 | 30W |
| wall washer | 2 pin | RGB(DMX) | | 30 | 30W |
| | | | | | |
| wall washer | 2 pin | warm white | AC/DC12V/24V, A C85-260V | 36 | 36W |
| wall washer | 2 pin | cool white | | 36 | 36W |
| wall washer | 2 pin | red | | 36 | 36W |
| wall washer | 2 pin | green | | 36 | 36W |
| wall washer | 2 pin | blue | | 36 | 36W |
| wall washer | 2 pin | yellow | | 36 | 36W |
| wall washer | 2 pin | RGB | | 36 | 36W |
| wall washer | 2 pin | RGB | | 36 | 36W |
| wall washer | 2 pin | RGB(DMX) | | 36 | 36W |
| Type | base | color | voltage | led qty | power |
| | | | | | |
| | | | | | |
| 12W beam light | 2 pin | warm white | AC/DC12V/24V | 120 | 12W |
| 12W beam light | 2 pin | cool white | AC/DC12V/24V | 120 | 12W |
| 12W beam light | 2 pin | red | AC/DC12V/24V | 120 | 12W |
| 12W beam light | 2 pin | green | AC/DC12V/24V | 120 | 12W |
| 12W beam light | 2 pin | blue | AC/DC12V/24V | 120 | 12W |
| 12W beam light | 2 pin | yellow | AC/DC12V/24V | 120 | 12W |
| 12W beam light | 2 pin | RGB | AC/DC12V/24V | 120 | 12W |
| Type | base | color | voltage | led qty | power |
| LED bar | 2 pin | warm white | DC12V | 60 | 4.8W |
| LED bar | 2 pin | cool white | DC12V | 60 | 4.8W |
| LED bar | 2 pin | red | DC12V | 60 | 4.8W |
| LED bar | 2 pin | green | DC12V | 60 | 4.8W |
| LED bar | 2 pin | blue | DC12V | 60 | 4.8W |
| LED bar | 2 pin | yellow | DC12V | 60 | 4.8W |
| Type | Description | | | | |
| DMX Controller | DMX512(1990) protocols | | | | |
| Friendly user interface 256 levels of grey, totally 16.77 million colors, really full color Can update the varied changing effects instantly | | | | | |

30W
GL-033

picture



12W beam light
GL-034

picture



LED bar
GL-035

picture



Plenty of color changing mode
 Support multi-zone display
 Support the edit and browse of the picture(*.bmp)
 Excellent performance on expandability, compatibility and stretch.
 Easy wiring and installation. Plug and Play.



DMX Controller

GL-036

| Type | Output Current | Measurement | voltage | Power | Waterproof |
|------------|----------------|-------------|-------------|------------|------------|
| DMX Driver | 5A(Max.)*3 | 175*45*35mm | 12VDC/24VDC | 180W(Max.) | NO |



DMX Driver

GL-036

DMX512 decode driver adopts microcomputer controlling technology, transfer DMX512/1990 standard numeral signal to analog signals.1-3 output pathway can be use.Each pathway can realize 256 lever controlling. Freely set DMX address to cooperate with IMG-DMX512 controlling system,connecting RGB led products, can realize wholly jumping or gradual changing.It also can realize rainbow,chasing,flowing and other multi effect by the unit of decode drivers. When work individually,it can realize wholly color changing effect.

| Type | Dimension | color | voltage | led qty | power |
|--------------|-----------|--------|---------|---------|-------|
| Led Module A | 22*18*14 | white | DC12V | 1 | 0.24W |
| Led Module A | 22*18*14 | red | DC12V | 1 | 0.54W |
| Led Module A | 22*18*14 | green | DC12V | 1 | 0.36W |
| Led Module A | 22*18*14 | blue | DC12V | 1 | 0.36W |
| Led Module A | 22*18*14 | yellow | DC12V | 1 | 0.54W |



LED Module

GL-037

| Type | Dimension | color | voltage | led qty | power |
|--------------|------------|--------|---------|---------|-------|
| Led Module B | 45*15*14 | white | DC12V | 2 | 0.24W |
| Led Module B | 45*15*14 | red | DC12V | 2 | 0.54W |
| Led Module B | 45*15*14 | green | DC12V | 2 | 0.36W |
| Led Module B | 45*15*14mm | blue | DC12V | 2 | 0.36W |
| Led Module B | 45*15*14mm | yellow | DC12V | 2 | 0.54W |



LED Module

GL-038

| Type | Dimension | color | voltage | led qty | power |
|--------------|------------|--------|---------|---------|-------|
| Led Module B | 75*15*14mm | white | DC12V | 3 | 0.24W |
| Led Module B | 75*15*14mm | red | DC12V | 3 | 0.54W |
| Led Module B | 75*15*14mm | green | DC12V | 3 | 0.36W |
| Led Module B | 75*15*14mm | blue | DC12V | 3 | 0.36W |
| Led Module B | 75*15*14mm | yellow | DC12V | 3 | 0.54W |



LED Module

GL-039

| Type | Dimension | color | voltage | led qty | power |
|--------------|------------|--------|---------|---------|-------|
| Led Module D | 48*15*13mm | white | DC12V | 2 | 0.24W |
| Led Module D | 48*15*13mm | red | DC12V | 2 | 0.54W |
| Led Module D | 48*15*13mm | green | DC12V | 2 | 0.36W |
| Led Module D | 48*15*13mm | blue | DC12V | 2 | 0.36W |
| Led Module D | 48*15*13mm | yellow | DC12V | 2 | 0.54W |



LED Module

GL-040

| Type | Dimension | color | voltage | led qty | power |
|--------------|-----------|--------|---------|---------|-------|
| Led Module E | 78*15*14 | white | DC12V | 3 | 0.24W |
| Led Module E | 78*15*14 | red | DC12V | 3 | 0.54W |
| Led Module E | 78*15*14 | green | DC12V | 3 | 0.36W |
| Led Module E | 78*15*14 | blue | DC12V | 3 | 0.36W |
| Led Module E | 78*15*14 | yellow | DC12V | 3 | 0.54W |



LED Module

GL-041

| Type | Dimension | color | voltage | led qty | power |
|--------------|-----------|-------|---------|---------|-------|
| Led Module F | 78*15*14 | white | DC12V | 4 | 0.48W |
| Led Module F | 78*15*14 | red | DC12V | 4 | 0.54W |



picture

| | | | | | |
|---------------------|---------------------------------------------------------------|------------|-----------|---------|-------|
| Led Module F | 78*15*14 | green | DC12V | 4 | 0.72W |
| Led Module F | 78*15*14 | blue | DC12V | 4 | 0.72W |
| Led Module F | 78*15*14 | yellow | DC12V | 4 | 0.54W |
| Type | Dimension | color | voltage | led qty | power |
| Led Module G | 500*18*14 | white | DC12V | 25 | 1.5W |
| Led Module G | 500*18*14 | red | DC12V | 25 | 1.5W |
| Led Module G | 500*18*14 | green | DC12V | 25 | 1.5W |
| Led Module G | 500*18*14 | blue | DC12V | 25 | 1.5W |
| Led Module G | 500*18*14 | yellow | DC12V | 25 | 1.5W |
| Type | Dimension | color | voltage | led qty | power |
| Led Module H | 500*15*14 | white | DC12V | 30 | 1.8W |
| Led Module H | 500*15*14 | red | DC12V | 30 | 1.8W |
| Led Module H | 500*15*14 | green | DC12V | 30 | 1.8W |
| Led Module H | 500*15*14 | blue | DC12V | 30 | 1.8W |
| Led Module H | 500*15*14 | yellow | DC12V | 30 | 1.8W |
| Type | base | color | voltage | led qty | power |
| Under water lamps A | 2 pin | warm white | AC110/230 | 48 | 4W |
| Under water lamps A | 2 pin | cool white | AC110/230 | 48 | 4W |
| Under water lamps A | 2 pin | red | AC110/230 | 48 | 4W |
| Under water lamps A | 2 pin | green | AC110/230 | 48 | 4W |
| Under water lamps A | 2 pin | blue | AC110/230 | 48 | 4W |
| Under water lamps A | 2 pin | yellow | AC110/230 | 48 | 4W |
| Under water lamps A | 2 pin | RGB | AC110/230 | 48 | 4W |
| Type | | | | | |
| Under water lamps B | | | | | |
| | 1、Movable support、 fully-closer structure | | | | |
| | 2、 Fully stainless steel precise casting | | | | |
| | 3、 Stainless steel silicon sol technology and precise casting | | | | |
| | 4、 Precise press block-type water-proof joint | | | | |
| | 5、 Protection grade: IP68 | | | | |
| | 6、 Suitable light sources: MR16/G5.3 | | | | |
| Type | | | | | |
| Under water lamps C | | | | | |
| | 1、 Movable support、 fully-closer structure | | | | |
| | 2、 Stainless steel sheet stretching and moulding | | | | |
| | 3、 Stainless steel silicon sol technology and precise casting | | | | |
| | 4、 Precise press block-type water-proof joint | | | | |
| | 5、 Protection grade: IP68 | | | | |
| | 6、 Suitable light sources: MR16/G5.3 | | | | |
| Type | base | color | voltage | led qty | power |
| Auto lamp | S8.5 | warm white | DC 12V | 6 | 1.5W |
| Auto lamp | S8.5 | cool white | DC 12V | 6 | 1.5W |
| Auto lamp | S8.5 | red | DC 12V | 6 | 1.5W |
| Auto lamp | S8.5 | green | DC 12V | 6 | 1.5W |
| Auto lamp | S8.5 | blue | DC 12V | 6 | 1.5W |
| Auto lamp | S8.5 | yellow | DC 12V | 6 | 1.5W |
| Type | base | color | voltage | led qty | power |
| Auto lamp | S8.5 | warm white | DC 12V | 4 | 1.5W |



LED Module
GL-042
picture



LED Module
picture



LED Module
picture



Under water lamps A
GL-043



Under water lamps B
GL-044
picture



Under water lamps C
GL-045
picture



Festoon-6leds
GL-046
picture



| | | | | | |
|----------------------------------------------------------------|----------------|-----------------|----------------|------------|-------|
| Auto lamp | S8.5 | cool white | DC 12V | 4 | 1.5W |
| Auto lamp | S8.5 | red | DC 12V | 4 | 1.5W |
| Auto lamp | S8.5 | green | DC 12V | 4 | 1.5W |
| Auto lamp | S8.5 | blue | DC 12V | 4 | 1.5W |
| Auto lamp | S8.5 | yellow | DC 12V | 4 | 1.5W |
| Type | base | color | voltage | led qty | power |
| Auto lamp | S8.5 | warm white | DC 12V | 2 | 0.7W |
| Auto lamp | S8.5 | cool white | DC 12V | 2 | 0.7W |
| Auto lamp | S8.5 | red | DC 12V | 2 | 0.7W |
| Auto lamp | S8.5 | green | DC 12V | 2 | 0.7W |
| Auto lamp | S8.5 | blue | DC 12V | 2 | 0.7W |
| Auto lamp | S8.5 | yellow | DC 12V | 2 | 0.7W |
| Type | base | color | voltage | led qty | power |
| Auto lamp | BA15S | warm white | DC 12V | 18 | 4.5W |
| Auto lamp | BA15S | cool white | DC 12V | 18 | 4.5W |
| Auto lamp | BA15S | red | DC 12V | 18 | 4.5W |
| Auto lamp | BA15S | green | DC 12V | 18 | 4.5W |
| Auto lamp | BA15S | blue | DC 12V | 18 | 4.5W |
| Auto lamp | BA15S | yellow | DC 12V | 18 | 4.5W |
| Type | base | color | voltage | led qty | power |
| Auto lamp | BAY15D | warm white | DC 12V | 18 | 4.5W |
| Auto lamp | BAY15D | cool white | DC 12V | 18 | 4.5W |
| Auto lamp | BAY15D | red | DC 12V | 18 | 4.5W |
| Auto lamp | BAY15D | green | DC 12V | 18 | 4.5W |
| Auto lamp | BAY15D | blue | DC 12V | 18 | 4.5W |
| Auto lamp | BAY15D | yellow | DC 12V | 18 | 4.5W |
| Type | import voltage | output voltage | output Current | efficiency | |
| LED Driver 17W | 100V-263V | 2-24V | 700mA | 75% | |
| Constant Current | | | | | |
| Drive 6 series 3W high power (\cong 4V / 700MA) LED lights | | | | | |
| Type | inport voltage | outport Voltage | output Current | efficiency | |
| LED Driver 28W | 100V-280V | 42-90V | 320mA | >75% | |
| Constant Current | | | | | |
| Drive 22 series 1W high power (\cong 4V / 350MA) LED lights | | | | | |
| Type | inport voltage | outport Voltage | output Current | efficiency | |
| LED Driver 10.24W | 100V-280V | 35-70V | 320mA | >80% | |
| Constant Current | | | | | |
| Drive 9 series 1W high power (\cong 4V / 350MA) LED lights | | | | | |



Festoon-4leds

GL-047

picture



GL-048

picture



1156

GL-050

picture



1157

GL-051

picture



GAA-24700M001

GL-052

picture



GAA-90300M002

GL-053

picture



GAA-36300M001

GL-054

| Type | input voltage | output voltage | output Current | efficiency | |
|-----------------------------------|---------------|----------------|----------------|------------|-------|
| LED Driver 9W | 100V-263V | 12V | 0-750mA | 85% | |
| Constant Pressure | | | | | |
| | | | | | |
| Drive 12V 8w led light | | | | | |
| | | | | | |
| Type | input voltage | output Voltage | output Current | efficiency | |
| LED Driver 9W | 100V-280V | 24V | 0-380mA | >85% | |
| Constant Pressure | | | | | |
| | | | | | |
| Drive 24V 8w led light | | | | | |
| Type | input voltage | output Voltage | output Current | efficiency | |
| LED Driver 18W | 100V-280V | 12V | 0-1.5A | >85% | |
| Constant Pressure | | | | | |
| | | | | | |
| Drive 12V 15w led light | | | | | |
| Type | base | color | voltage | led qty | power |
| LED ceiling light | 2 pin | RGB | AC220V | 320 | 19w |
| | | | | | |
| Working enviroment: -20°C to 80°C | | | | | |
| Applied indoor use only. | | | | | |
| Type | base | color | voltage | led qty | power |
| LEXIBLE LED strip lig | 2 pin | warm white | DC12V | | 0.48W |
| LEXIBLE LED strip lig | 2 pin | cool white | DC12V | | 0.48W |
| LEXIBLE LED strip lig | 2 pin | red | DC12V | | 0.48W |
| LEXIBLE LED strip lig | 2 pin | green | DC12V | | 0.48W |
| LEXIBLE LED strip lig | 2 pin | blue | DC12V | | 0.48W |
| LEXIBLE LED strip lig | 2 pin | yellow | DC12V | | 0.48W |
| Type | base | color | voltage | led qty | power |
| LED tube light | 2 pin | warm white | DC12V/24V | 144 | 4.5W |
| LED tube light | 2 pin | cool white | DC12V/24V | 144 | 4.5W |
| LED tube light | 2 pin | red | DC12V/24V | 144 | 4.5W |
| LED tube light | 2 pin | green | DC12V/24V | 144 | 4.5W |
| LED tube light | 2 pin | blue | DC12V/24V | 144 | 4.5W |
| LED tube light | 2 pin | yellow | DC12V/24V | 144 | 4.5W |



GVA-12009M001
GL-055



GVA-24009M001
GL-056



GVA-12018M001
GL-057



LED ceiling light
GL-058
picture



FLEXIBLE strip light
GL-059
picture



LED tube light
GL-060